

-2-

Amendments to the claims:

1 - 9 (Canceled)

10. (Currently amended): A homopolar machine comprising:

a shaft;

an armature assembly coupled to the shaft that includes a cylinder having a pair of spaced apart generally radially extending flanges,

first and second stators arrays that encircle the armature assembly;

a negative bus connected to a first stator,

a positive bus connected to a second stator,

a first negative brush assembly carried by said first stator for contact with said armature at one location; said brush assembly including brushes, an actuator and a holder designed to effect said contact with said armature.which holder includes (a) radially aligned stem disposed between a pair of parallel flat plates that are mounted in fixed relation to said first stator and (b) a slidable component which carries a plurality of said first negative brushes and which is slidable between said parallel plates.said stem being formed with a pair of opposed parallel surfaces that are perpendicular to said flat plates, and said slidable component including a pair of flexible heads that engage said opposed stem surfaces, and

a second negative brush assembly carried by said armature for contact with said second stator, as a result of their negative charge, the lifetime of said brushes is substantially extended compared to comparable positively charged brushes.

BEST AVAILABLE COPY

-3-

11 - 14 (Canceled)

15. (Currently Amended): The homopolar machine in accordance with claim ~~14~~ 10 wherein said flexible heads include a stack of generally parallel ribbons cut by EDM from conductive metal.

16. (Original): The homopolar machine in accordance with claim 15 wherein said heads are mounted so that said ribbons are flexed against said opposed surfaces.

17 - 18 (Canceled).

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.